

DUFAMINOVIT ORAL

Composition:

Contains per ml oral solution:

Retinyl palmitate (A).....	12,200 IU	Histidine	0.135 mg
Cholecalciferol (D3)	3,200 IU	Isoleucine	0.225 mg
α-Tocopherol acetate (E)	3.35 mg	Leucine.....	0.425 mg
Menadione sodium bisulfite (K3) ..	1.05 mg	Lysine.....	0.45 mg
Thiamine HCl (B1)	2.0 mg	Methionine.....	0.135 mg
Pyridoxine HCl (B6)	1.3 mg	Phenylalanine	0.25 mg
Ascorbic acid (C).....	4.0 mg	Proline	1.65 mg
Dexpanthenol.....	4.05 mg	Serine.....	0.1 mg
Alanine.....	1.0 mg	Threonine	0.25 mg
Arginine.....	0.5 mg	Tryptophan	0.02 mg
Aspartic acid	0.55 mg	Tyrosine	0.115 mg
Glutamic acid	1.1 mg	Valine	0.34 mg
Glycine.....	2.7 mg		

Description:

An adequate supply of vitamins and essential amino acids is essential to build lean muscle mass, to improve health of joints, skin, coat and the immune system, and to enhance strength, energy, fertility, production and performance.

Indications:

Treatment and prevention of vitamin and/or amino acid deficiencies in swine and poultry.

Dosage and administration:

For oral administration in drinking water. Shake well before use.

Swine.....2 ml per litre of water

Poultry 1 ml per 5 litres of water, for 5-10 days

Once diluted, Dufaminovit Oral should be used immediately and refreshed every 24 hours for the duration of the treatment.

Withdrawal times:

None.

Storage conditions:

Store dark and below 25°C. Do not freeze.

Packing:

100 ml and 1 litre bottles.

