

PHENYLBUTAZON 20% INJ

Composition:

Contains per ml solution:

Phenylbutazone 200 mg

Description:

Phenylbutazone is a non-steroidal anti-inflammatory drug (NSAID) belonging to the pyrazolone group. Phenylbutazone inhibits the biosynthesis of PGE₂ and PGF₂α.

Indications:

Inflammation and acute or chronic pain associated with musculoskeletal conditions in horses, cattle and swine.

Contraindications:

Severe cardiac, hepatic or renal impairment, dehydration, hypovolemia or hypotension, gastrointestinal ulceration or bleeding, blood dyscrasias, hypersensitivity to phenylbutazone.

Dosage and administration:

For very slow intravenous administration.

The recommended dose is no more than 4.4 mg phenylbutazone per kg body weight.

Horses, cattle and swine up to 1 ml per 45 kg body weight per day for no more than 5 days

Side effects:

Rarely, collapse following intravenous injection. Due to the inhibition of prostaglandin synthesis, certain individuals may experience gastric or renal intolerance.

Precautions and warnings:

Administer strictly IV. Reduce dose in foals, calves, piglets and geriatric animals. Do not exceed 4 g (20 ml) per animal per day, regardless of weight. Discontinue if no significant clinical response is evident within 5 days. Do not administer concurrently with other NSAIDs, glucocorticosteroids, nephrotoxic or hepatotoxic, or highly plasma bound drugs.

Withdrawal times:

Do not use in animals producing milk for human consumption.

Do not use in animals intended for human consumption.

Storage conditions:

Store dark and below 25°C. Do not freeze.

Packing:

100 ml vials.