

## **VITACON EXTRA W.S.P.**

### **Composition:**

Contains per g water soluble powder:

Retinyl acetate (A) .....	7,500 IU	Pyridoxine HCl (B6) .....	1 mg
Cholecalciferol (D3) .....	1,500 IU	Cyanocobalamin (B12) .....	1 mcg
α-Tocopherol acetate (E) .....	10 mg	Ascorbic acid (C) .....	10 mg
Thiamine HCl (B1) .....	1 mg	Menadione sodium bisulfite (K3)...	1.5 mg
Riboflavin (B2) .....	3.5 mg	Manganese sulphate .....	15 mg
Nicotinamide (B3) .....	10 mg	Iron(II)sulphate .....	10 mg
Calcium pantothenate (B5) .....	2.5 mg	Copper(II)sulphate.....	5 mg

### **Description:**

An adequate supply of vitamins and trace elements is essential to build lean muscle mass, to improve health of joints, skin, coat and the immune system, and to enhance strength, energy, fertility, production and performance.

### **Indications:**

For the treatment and prevention of vitamin and/or trace element deficiencies in cattle, horses, sheep, swine and poultry.

### **Dosage and administration:**

For oral administration in drinking water or feed.

Therapeutic dosage in drinking water:

Cattle and horses.....	150 g per 200 litres of water
Swine and sheep .....	125 g per 200 litres of water
Poultry .....	50 g per 200 litres of water, for 14 days

Therapeutic dosage in feed:

10 - 15 g per 250 kg body weight per day, for 14 days

For prophylaxis, administer 50% of the therapeutic dosage.

Once dissolved, Vitacon Extra W.S.P. should be used immediately and refreshed every 24 hours for the duration of the treatment.

### **Withdrawal times:**

None.

### **Storage conditions:**

Store dark, dry and below 25°C. Do not freeze.

### **Packing:**

100 g sachets and 1 kg jars.

